Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S2	1	10/700289	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/12 18:50
S4	4	(("20020156954") or ("20030135682") or ("6701469") or ("6697352")).PN.	US-PGPUB; USPAT	OR	OFF	2007/03/12 18:51
S3	· 6	(("6857033") or ("20040215867") or ("6463554") or ("5668956") or ("5805676") or ("5935226")).PN.	US-PGPUB; USPAT	OR	OFF	2007/03/12 18:51
S6	6	(("5732247") or ("6105087") or ("6304837") or ("6625759") or ("6665742") or ("6785760")).PN.	US-PGPUB; USPAT	OR	OFF	2007/03/12 18:53
S5	13	(("5271000") or ("6154801") or ("6260092") or ("20030079075") or ("6611891") or ("6687662") or ("20040024949") or ("20040117747") or ("6751583") or ("6804258") or ("6836813") or ("6968285") or ("6978231")).PN.	US-PGPUB; USPAT	OR	OFF	2007/03/12 18:53
S18	145	(714/51).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/13 12:46
S17	521	(714/37).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/13 12:46
S16	274	(714/35).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/13 12:46
S15	289	(714/34).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/13 12:46
S14	367	(714/24).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/13 12:46

			,	Γ	- :	 1
S13	304	(714/23).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/13 12:46
S12	90	(714/21).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/13 12:46
S11	204	(714/18).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/13 12:46
S10	146	(714/9).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/13 12:46
S35	6	(("5732247") or ("6105087") or ("6304837") or ("6625759") or ("6665742") or ("6785760")).PN.	US-PGPUB; USPAT	OR	OFF	2007/03/13 13:21
S34	13	(("5271000") or ("6154801") or ("6260092") or ("20030079075") or ("6611891") or ("6687662") or ("20040024949") or ("20040117747") or ("6751583") or ("6804258") or ("6836813") or ("6968285") or ("6978231")).PN.	US-PGPUB; USPAT	OR	OFF	2007/03/13 13:21
S33	4	(("20020156954") or ("20030135682") or ("6701469") or ("6697352")).PN.	US-PGPUB; USPAT	OR	OFF	2007/03/13 13:21
S31	0	("2005/0097404").URPN.	USPAT	OR	OFF	2007/03/13 13:21
S37	0	(S31 S35 S32 S33 S34) and S9	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/13 13:36
S38	5	(S31 S35 S32 S33 S34) and S30	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/13 13:40

			<u> </u>			
S39	172961	(identif\$8 determin\$6 detect\$3 isolat\$3) with ((incomplet\$4 complet\$4 pending during while wait\$3 finish\$3 execut\$3 conclude\$1 conclusion done end ended ending) near3 (transaction\$1 command\$1 operation\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/13 13:41
S30	132515	(break\$1 breaking termination\$1 terminat\$3 interrupt\$4 quiesc\$3 quiet\$3 suspend\$3 suspension\$1 pause\$1 pausing inhibit\$3 stops stopping stopped stop stoppage\$1 cancel\$7 cease\$1 ceasing) with ((incomplet\$4 complet\$4 pending during while wait\$3 finish\$3 execut\$3 conclude\$1 conclusion done end ended ending) near3 (transaction\$1 command\$1 operation\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/13 13:41
S42	379	(identif\$8 determin\$6 detect\$3 isolat\$3) with ((incomplet\$4) near3 (transaction\$1 command\$1 operation\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/13 13:42
S41	39425	(break\$1 breaking termination\$1 terminat\$3 interrupt\$4 quiesc\$3 quiet\$3 suspend\$3 suspension\$1 pause\$1 pausing inhibit\$3 stops stopping stopped stop stoppage\$1 cancel\$7 cease\$1 ceasing) with ((incomplet\$4 complet\$4 pending wait\$3 finished executed concluded done) near3 (transaction\$1 command\$1 operation\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/13 13:42
S40	50714	(identif\$8 determin\$6 detect\$3 isolat\$3) with ((incomplet\$4 complet\$4 pending wait\$3 finished executed concluded done) near3 (transaction\$1 command\$1 operation\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/13 13:42
Ş43	256	(break\$1 breaking termination\$1 terminat\$3 interrupt\$4 quiesc\$3 quiet\$3 suspend\$3 suspension\$1 pause\$1 pausing inhibit\$3 stops stopping stopped stop stoppage\$1 cancel\$7 cease\$1 ceasing) with ((incomplet\$4) near3 (transaction\$1 command\$1 operation\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/13 13:56

S44	4359	(identif\$8 determin\$6 detect\$3 isolat\$3) with ((incomplete pending interrupted) near3 (transaction\$1 command\$1 operation\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/13 13:59
S45	7 4 6	(identif\$8) with ((incomplete pending interrupted) near3 (transaction\$1 command\$1 operation\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/13 14:03
S47	0	((identif\$8) with ((incomplete pending interrupted suspended) near3 (transaction\$1 command\$1 operation\$1))) and (simulation\$1 and (register adj transfer adj logic\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/13 14:30
S46	.0	((identif\$8) with ((incomplete pending interrupted) near3 (transaction\$1 command\$1 operation\$1))) and (simulation\$1 and (register adj transfer adj logic\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/13 14:30
S48	26	((identif\$8) with ((incomplete pending interrupted suspended) near3 (transaction\$1 command\$1 operation\$1))) and (simulation\$1 (register adj transfer adj logic\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/13 14:38
S51	40	(S50 not S48) and (@ad<="20031103" @pd<="20031103" @rlad<="20031103" @prad<="20031103")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2007/03/13 14:39
S49	23	(S48) and (@ad<="20031103" @pd<="20031103" @rlad<="20031103" @prad<="20031103")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/13 14:39
S52	22	("5436857" "5454084" "5555430" "5566349" "5579528" "5584029" "5590376" "5598537" "5598539" "5636347" "5781748").PN. OR ("5935226"). URPN.	US-PGPUB; USPAT; USOCR	OR .	OFF	2007/03/13 14:44
S50	69	((identif\$8) with ((incomplete pending interrupted suspended) near3 (transaction\$1 command\$1 operation\$1 request\$1))) and (simulation\$1 (register adj transfer adj logic\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/13 15:39

		LAST Scare		/		
S57	4	((identif\$8) with ((incomplete pending suspended) near3 ((test\$3 near (case\$1 vector\$1 transaction\$1 command\$1)))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/13 15:53
S59	11	(S58) and (@ad<="20031103" @pd<="20031103" @rlad<="20031103" @prad<="20031103")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/13 16:00
S36	29	(S31 S35 S32 S33 S34) and (@ad<="20031103" @pd<="20031103" @rlad<="20031103" @prad<="20031103")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/13 16:08
S62	5	(S61) and (@ad<="20031103" @pd<="20031103" @rlad<="20031103" @prad<="20031103")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/13 16:31
S61	5	S10 and (quiesc\$3 quiet\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/13 16:31
S9	234	(bus buses busses) near (quiesc\$3 quiet\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/13 16:31
S66	21237	(714/1-57).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/13 16:32
S58	11	((identif\$8) with ((incomplete incompletion suspend\$3 terminat\$3) near3 ((test\$3 near (case\$1 vector\$1 transaction\$1 command\$1)))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/13 16:44
S60	22	(S52 not (S31 S35 S32 S33 S34)) and (@ad<="20031103" @pd<="20031103" @rlad<="20031103" @prad<="20031103")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/13 16:59
S70	. 56	((quiesc\$3) with ((incomplete pending interrupted suspended) near3 (transaction\$1 command\$1 operation\$1 request\$1 (test adj (case\$1 vector\$1)))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/13 17:00

S69	8	((quiesc\$3) with ((incomplete pending interrupted suspended) near3 (transaction\$1 command\$1 operation\$1 request\$1 (test adj (case\$1 vector\$1))))) and (simulation\$1 (register adj transfer adj logic\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/13 17:00
S55	69	((identif\$8) with ((incomplete pending interrupted suspended) near3 (transaction\$1 command\$1 operation\$1 request\$1 (test adj (case\$1 vector\$1))))) and (simulation\$1 (register adj transfer adj logic\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/13 17:00
S71	50	(S70) and (@ad<="20031103" @pd<="20031103" @rlad<="20031103" @prad<="20031103")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/13 17:18
S73	5	(("4648031") or ("5832283") or ("6351754") or ("6594779") or ("6618857")).PN.	US-PGPUB; USPAT	OR	OFF	2007/03/13 17:22
S32	6	(("6857033") or ("20040215867") or ("6463554") or ("5668956") or ("5805676") or ("5935226")).PN.	US-PGPUB; USPAT	OR	OFF	2007/03/13 17:22
S81	22	("5436857" "5454084" "5555430" "5566349" "5579528" "5584029" "5590376" "5598537" "5598539" "5636347" "5781748").PN. OR ("5935226"). URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/03/14 09:59
S80	6	(("5732247") or ("6105087") or ("6304837") or ("6625759") or ("6665742") or ("6785760")).PN.	US-PGPUB; USPAT	OR	OFF	2007/03/14 09:59
S79	13	(("5271000") or ("6154801") or ("6260092") or ("20030079075") or ("6611891") or ("6687662") or ("20040024949") or ("20040117747") or ("6751583") or ("6804258") or ("6836813") or ("6968285") or ("6978231")).PN.	US-PGPUB; USPAT	OR	OFF	2007/03/14 09:59
S78	4	(("20020156954") or ("20030135682") or ("6701469") or ("6697352")).PN.	US-PGPUB; USPAT	OR	OFF	2007/03/14 09:59
S77	6	(("6857033") or ("20040215867") or ("6463554") or ("5668956") or ("5805676") or ("5935226")).PN.	US-PGPUB; USPAT	OR	OFF	2007/03/14 09:59
S76	0	("2005/0097404").URPN.	USPAT	OR	OFF	2007/03/14 09:59

			T			
S75	289	(714/34).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/14 09:59
S68	269	(S15 not (S52 S31 S35 S32 S33 S34)) and (@ad<="20031103" @pd<="20031103" @rlad<="20031103" @prad<="20031103")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/14 09:59
S74	20	("4819156" "4864744" "5325525" "5819083" "5864849" "5933593" "5951658" "6044475").PN. OR ("6351754").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/03/14 10:01
S83	20	("4819156" "4864744" "5325525" "5819083" "5864849" "5933593" "5951658" "6044475").PN. OR ("6351754").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/03/14 10:12
S85	22	("4819156" "4868744" "5325525" "5369757" "5794005" "5819083" "5864849" "5916307" "5933593" "5951658" "6044475" "6154847" "6253212" "6351754" "6493826").PN. OR ("6678704"). URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/03/14 10:31
S82	269	(S75 not (S81 S76 S80 S77 S78 S79)) and (@ad<="20031103" @pd<="20031103" @rlad<="20031103" @prad<="20031103")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF.	2007/03/14 10:41
S87	20	("4819156" "4868744" "5864849" "6004475").PN. OR ("6253212").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/03/14 10:43
S86	13	(S85 not (S83 S81 S76 S80 S77 S78 S79)) and (@ad<="20031103" @pd<="20031103" @rlad<="20031103" @prad<="20031103")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/14 10:47

			·	<u> </u>		
S89	49	("4130867" "4665520" "5222235" "5297279" "5325505" "5333314" "5422979" "5455945" "5551020" "5553303" "5596747" "5640561" "5721915" "5774717" "5788377" "5788392" "5799322" "5822780" "5848416" "5887168" "5933820" "5940832" "5943677" "5956504" "5983239" "5991761" "5995958" "6003022" "6016497" "6026412" "6029195" "6070170" "6119128" "6122640" "6151607" "6157932" "6243715" "6253212" "6289357" "6343296" "6411964" "6460048" "6470344" "6477535" "6519613" "6584474" "6631478").PN. OR ("7065538").	US-PGPUB; USPAT; USOCR	OR	OFF	2007/03/14 10:50
S88	12	URPN. (S87 not (S85 S83 S81 S76 S80 S77 S78 S79)) and (@ad<="20031103" @pd<="20031103" @rlad<="20031103" @prad<="20031103")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/14 10:53
S90	48	(S89 not (S87 S85 S83 S81 S76 S80 S77 S78 S79)) and (@ad<="20031103" @pd<="20031103" @rlad<="20031103" @prad<="20031103")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2007/03/14 11:17
S92	40	("3509541" "3551659" "3707725" "4080650" "4205370" "4231106" "4462077" "4511961" "4571677" "4601008" "4635193").PN. OR ("4910663"). URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/03/14 12:34
S93	39	("3344408" "3832531" "4104726" "4133477" "4162396" "4206346" "4213190" "4245309" "4275464").PN. OR ("4477901"). URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/03/14 12:47

	•					
S91	269	(S75 not (S89 S87 S85 S83 S81 S76 S80 S77 S78 S79)) and (@ad<="20031103" @pd<="20031103" @rlad<="20031103" @prad<="20031103")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/14 14:04
S96	956	(unexecuted incomplete cancelled quiesced terminated stopped) with ((test\$3 debug\$4) adj2 (case\$1 program\$1 programming instruction\$1 command\$1 transaction\$1 operation\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR ·	OFF	2007/03/14 14:16
S95	1442	(unexecuted incomplete pending cancelled interrupted quiesced terminated suspended paused stopped) with ((test\$3 debug\$4) adj2 (case\$1 program\$1 programming instruction\$1 command\$1 transaction\$1 operation\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/14 14:16
S99	165	S97 and ("714" "717" "710" "711" "712").clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/14 14:18
S10 1	3	S97 and ("714" "717" "710" "712").clas.	EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/14 14:19
S10 2	144	(S100) and (@ad<="20031103" @pd<="20031103" @rlad<="20031103" @prad<="20031103")	US-PGPUB; USPAT	OR	OFF	2007/03/14 14:20
S10 0	163	S97 and ("714" "717" "710" "712").clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/14 14:20
S10 6	55	("4242751" "4736338" "4891773" "4912707" "4995037").PN. OR ("5146460"). URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/03/14 14:26
S10 7	619	(unexecuted incomplete cancelled quiesced terminated stopped) near3 ((test\$3 debug\$4) adj2 (case\$1 program\$1 programming instruction\$1 command\$1 transaction\$1 operation\$1 function\$1 vector\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/14 15:00

S97	535	(unexecuted incomplete cancelled quiesced terminated stopped) near3 ((test\$3 debug\$4) adj2 (case\$1 program\$1 programming instruction\$1 command\$1 transaction\$1 operation\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/14 15:00
S10 8	718	(unexecuted incomplete cancelled quiesced terminated stopped) near3 ((test\$3 debug\$4) adj2 (case\$1 program\$1 programming instruction\$1 command\$1 transaction\$1 operation\$1 function\$1 vector\$1 pattern\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/14 15:01
S10 5	147	(S103) and (@ad<="20031103" @pd<="20031103" @rlad<="20031103" @prad<="20031103")	US-PGPUB; USPAT	OR	OFF	2007/03/14 15:01
S10 3	166	S97 and ("714" "717" "710" "712" "703").clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/14 15:01
S10 9	842	(unexecuted incomplete cancelled quiesced terminated stopped) near3 ((test\$3 debug\$4) adj2 (case\$1 program\$1 programming instruction\$1 command\$1 transaction\$1 operation\$1 function\$1 vector\$1 pattern\$1 process processes))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/14 15:19
S11 2	80	(S111 not S103) and (@ad<="20031103" @pd<="20031103" @rlad<="20031103" @prad<="20031103")	US-PGPUB; USPAT	OR	OFF	2007/03/14 15:23
S11 1	258	S109 and ("714" "717" "710" "712" "703").clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/14 15:23
S11 3	873	(unexecuted incomplete cancelled quiesced terminated stopped) near3 ((test\$3 debug\$4) adj2 (case\$1 program\$1 programming instruction\$1 command\$1 transaction\$1 operation\$1 function\$1 vector\$1 pattern\$1 process processes routine\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/14 15:24

		<u> </u>				
S11 7		(S116 not S111) and (@ad<="20031103" @pd<="20031103" @rlad<="20031103" @prad<="20031103")	US-PGPUB; USPAT	OR	OFF	2007/03/14 15:25
S11 6	266	S113 and ("714" "717" "710" "712" "703").clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/14 15:25
S12 1	304	(714/23).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/14 15:33
S94	72	((S92 S93) not (S75 S89 S87 S85 S83 S81 S76 S80 S77 S78 S79)) and (@ad<="20031103" @pd<="20031103" @rlad<="20031103")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/14 15:34
S12 4	129	((S121 S122) not (S92 S93 S75 S89 S87 S85 S83 S81 S76 S80 S77 S78 S79)) and (@ad<="20031103" @pd<="20031103" @rlad<="20031103" @prad<="20031103")	EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/14 15:42
S12 5	494	((S121 S122) not (S92 S93 S75 S89 S87 S85 S83 S81 S76 S80 S77 S78 S79)) and (@ad<="20031103" @pd<="20031103" @rlad<="20031103" @prad<="20031103")	US-PGPUB; USPAT	OR	OFF	2007/03/14 15:49
S12 3	623	((S121 S122) not (S92 S93 S75 S89 S87 S85 S83 S81 S76 S80 S77 S78 S79)) and (@ad<="20031103" @pd<="20031103" @rlad<="20031103" @prad<="20031103")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/14 16:38
S12 2	367	(714/24).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/14 16:38

S12 9	964	(unexecuted incomplete cancelled quiesced terminated stopped) near3 ((test\$3 debug\$4) adj2 (case\$1 program\$1 programming instruction\$1 command\$1 transaction\$1 operation\$1 function\$1 vector\$1 pattern\$1 process processes routine\$1 plan plans sequence\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/14 16:42
S11 8	874	(unexecuted incomplete cancelled quiesced terminated stopped) near3 ((test\$3 debug\$4) adj2 (case\$1 program\$1 programming instruction\$1 command\$1 transaction\$1 operation\$1 function\$1 vector\$1 pattern\$1 process processes routine\$1 plan plans))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/14 16:42
S13 0	296	S129 and ("714" "717" "710" "712" "703").clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/14 17:13
S11 9	267	S118 and ("714" "717" "710" "712" "703").clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/14 17:13
S13 3	145	(714/51).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/14 17:14
S13 2	90	(714/21).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/14 17:14
S13 1	28	(S130 not S119) and (@ad<="20031103" @pd<="20031103" @rlad<="20031103" @prad<="20031103")	US-PGPUB; USPAT	OR	OFF	2007/03/14 17:14
S12 7	474	(S126 not (S121 S122 S92 S93 S75 S89 S87 S85 S83 S81 S76 S80 S77 S78 S79)) and (@ad<="20031103" @pd<="20031103" @rlad<="20031103" @prad<="20031103")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/14 17:14

S12 6	521	(714/37).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/14 17:14
S12 0	8	(S119 not S111) and (@ad<="20031103" @pd<="20031103" @rlad<="20031103" @prad<="20031103")	US-PGPUB; USPAT	OR	OFF	2007/03/14 17:14
S13 5	11	("20030093728" "5758174" "5864657" "6002868" "6044475" "6128759" "6185702" "6397378" "6401216" "6594779").PN. OR ("2003/0046612" "7076692"). URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/03/14 17:18
S13 6	9	((S135) not (S126 S121 S122 S92 S93 S75 S89 S87 S85 S83 S81 S76 S80 S77 S78 S79)) and (@ad<="20031103" @pd<="20031103" @rlad<="20031103" @prad<="20031103")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/14 17:19
S13 7	186	((S132 S133) not (S135 S126 S121 S122 S92 S93 S75 S89 S87 S85 S83 S81 S76 S80 S77 S78 S79)) and (@ad<="20031103" @pd<="20031103" @rlad<="20031103" @prad<="20031103")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/14 17:27
S13	3	(("7054881") or ("5737609") or ("7020699")).PN.	US-PGPUB; USPAT	OR	OFF	2007/03/14 17:29
S14 0	3	(S139 not (S132 S133 S135 S126 S121 S122 S92 S93 S75 S89 S87 S85 S83 S81 S76 S80 S77 S78 S79)) and (@ad<="20031103" @pd<="20031103" @rlad<="20031103" @prad<="20031103")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/14 17:30
S13 8	4	((S132 S133 S135 S126 S121 S122 S92 S93 S75 S89 S87 S85 S83 S81 S76 S80 S77 S78 S79)) and (@ad<="20031103" @pd<="20031103" @rlad<="20031103" @prad<="20031103") and @pd>"20070312"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/14 17:30

3/15/07 3:22:08 PM C:\Documents and Settings\GChu\My Documents\EAST\workspaces\10700289.wsp Page 13

			, 	T		
L4	31	point-to-point and (register adj transfer adj logic)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/15 09:37
L5	16	point-to-point and (register adj transfer adj logic) and (@ad<="20031103" @pd<="20031103" @rlad<="20031103")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/15 10:14
L6	170	point-to-point and (register adj transfer adj (logic language level)) and (@ad<="20031103" @pd<="20031103" @rlad<="20031103" @prad<="20031103")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/15 10:18
L7	· 5	((p2p point-to-point) same (register adj transfer adj (logic language level))) and (@ad<="20031103" @pd<="20031103" @rlad<="20031103" @prad<="20031103")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/15 10:19
L10	313	((p2p point-to-point) and (verilog)) and (@ad<="20031103" @pd<="20031103" @rlad<="20031103" @prad<="20031103")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/15 11:19
L9	0	((p2p point-to-point) same (verilog)) and (@ad<="20031103" @pd<="20031103" @rlad<="20031103" @prad<="20031103")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/15 11:19
L8	7	((p2p point-to-point) same ((register adj transfer adj (logic language level)) rtl)) and (@ad<="20031103" @pd<="20031103" @rlad<="20031103" @prad<="20031103")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/15 11:19
L11	0	10/612464	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/15 11:46

Page 14